Anaesth Intens Care (1992), 20, 553-563

ANAESTHESIA
AND
INTENSIVE CARE

INDEX
Volume 20, 1992

(C) indicates correspondence
(R) indicates book review

Anaesthesia and Intensive Care, Vol. 20, No. 4, November, 1992

INDEX

A blind guided technique for placing double-lumen endobronchial tubes: Russell W. J., **71**
A clinical evaluation of the Hemocue haemoglobinometer using capillary, venous and arterial samples: Chen P. P., Short T. G., Leung D. H. Y., Oh T. E., **497**
A double-blind randomized trial comparing postoperative analgesia after perioperative loading doses of methadone or morphine: Chui P. T., Gin T., **46**
A five-year prospective analysis of the efficiency, safety and morbidity of epidural anaesthesia performed by a general practitioner anaesthetist in an isolated rural hospital: Watts R., **348**
A longitudinal study of 100 consecutive admissions for carbon monoxide poisoning to the Royal Adelaide Hospital: Gorman D. F., Clayton D., Gilligan J. E., Webb R. K., **311**
A survey of Fellows of the Faculty of Anaesthetists of the Royal Australasian College of Surgeons endorsed in Intensive Care by examination in the first ten years of final examinations in Intensive Care: Harrison G. A., Byth P. L., **203**
Abstracts of Papers: Combined Scientific Meeting of the Australian Society of Anaesthetists and Canadian Anaesthetists' Society, Brisbane, Queensland — October 1991, **99**
Australian and New Zealand Intensive Care Society, 16th Annual Scientific Meeting, Canberra, ACT — September 1991, **233**
Accidental intra-arterial flucloxacillin using guanethidine: McGrath P., **517**
Accidental subdural block: four more cases and a radiographic review: Collier C., **215**
Accuracy of the BoMed NCCOM3 bioimpedance cardiac output monitor during induced hypotension: an experimental study in dogs: Tibballs J., Hochmann M., Osborne A., Carter B. C., **326**
Achondroplastic dwarf at a regional hospital, obstetric anaesthesia in an: McArthur R. D. A., **376**
Acott C.: (C), **249**
Acute cord prolapse in an obstetric patient with myotonia dystrophica: Walpole A. R., Ross A. W., **526**
Acute mitral regurgitation: Physiological and pharmacological considerations in the management of a critically ill, **373**
Acute pharyngolaryngeal oedema and pre-eclamptic toxaemia: Brimacombe J., **97**
Adrenaline, role as a first-line inotropic agent: septic shock: Wilson W., Lipman J., Scribante J., Kobilski S., **470**
Adult respiratory distress syndrome, oxygen dissociation curve in the: Huang W-n., Cade J. F., Pain M. C. F., **456**
Airway obstruction, post partum, after vaginal delivery: Ebert R. J., **365**
Allergy to anaesthetic drugs, persistence of: Fisher M. M., Baldo B. A., **143**
Alltree D. H.: Obituary — William Knox Peacock, **387**
Alpha 1 — antitrypsin deficiency: Circulatory arrest following induction of anaesthesia: Myles P. S., Weeks A. M., **358**
Alveolar oxygenation and mouth-to-mask ventilation: Effects of oxygen insufflation: Stahl J. M., Cutfield G. R., Harrison G. A., **177**
Amir M.: (C), **389**
An evaluation of prolonged oximetric data acquisition: Jones R. D. M., Lawson A. D., Gunawardene W. M. S., Roulson C. R., Brown A. G., Smith I. D., **303**
Anaesthesia and breast-feeding — the effect on mother and infant: Bond G. M., Holloway A. M., **426**
Anaesthesia for the 'Inert' gases with special reference to xenon: Kennedy R. R., Stokes J. W., Downing P., **66**
Anaesthesia for sacrococcygeal teratoma — a case report and a review of 32 cases: Robinson S., Laussen P. C., Brown T. C. K., Woodward A. A., **354**
Anaesthetic experience with cryotherapy for treatment of hepatic malignancy: Goodie D. B., Horton M. D. A., Morris R. W., Nagy L. S., Morris D. L., **491**
Anaesthetic problems during laparoscopic cholecystectomy: Lew J. K. L., Gin T., Oh T. E., **91**
Apache II scoring system, time-dependent error in the: Sleigh J. W., Brook R. J., Miller M., **63**
Arhelger S.: see Lynch J., **322**
Ashley J.: see Cade L., **41**
Aun C.: see Houghton I. T., **52**
Australian and New Zealand Intensive Care Society 16th Annual Scientific Meeting — Canberra ACT, September 1991: Abstracts of Papers, **233**
Awake blind nasal intubation — A dying art?: Collins P. D., Godkin R. A., **225**
Awareness, resulting in, fault in a Selectatec manifold: Lum M. E., Ngan Kee W. D. N., Robinson B. J., **501**
Awareness during anaesthetic and post traumatic stress disorder: Macleod A. D., Maycock E., **378**

Baggoley C: (R), **545**
Bagshaw O. N. T.: (C), **254**
Bailey C: (C), **397**
Bailey R: (R), **262**
Baker A.: (C), **398**
Baldo B. A.: see Fisher M. M., **143**
Bapty G.: see Brimacombe J., **484**
Barlow J: see Chittleborough M. C., **169**
Barratt S.: (C), **122**
Bateman E. D.: see Gordon P. C., **511**
Batra Y. K: (C), **539**
Bellomo R.: The cytokine network in the critically ill, **288**
Tai E., Parkin G.: Fibreoptic bronchoscopy in the critically ill: A prospective study of its diagnostic and therapeutic value, **464**
Bengtsson A.: see Bengtson J. P., **191**

Bengtson J. P., Bengtsson A., Stenqvist O.: Uptake of enflurane and isoflurane during spontaneous and controlled ventilation, **191**
Berry A.: (C), **394**
(C), **534**
Bersten A.: see Duke G. J., **277**
Bersten A. D.: (C), **257**
Bilateral phrenic nerve palsy following cardiac surgery in a diabetic. A case report: Gordon P. C., Bateman E. D., Linton D. M., **511**
Biswas T. K., Leary C.: Postoperative hospital admission from a day surgery unit: a seven-year retrospective survey, **147**
(C), **542**
Bjorksten A.: see Blake D. W., **479**
Blake D. W., Dawson P., Donnan G., Bjorksten A.: Propofol induction for laryngeal mask airway insertion: dose requirement and cardiorespiratory effects, **479**
BoMed NCCOM3 Bioimpedance cardiac output monitor during induced hypotension, accuracy of the: an experimental study in dogs: Tibballs J., Hochmann M., Osborne A., Carter B., **326**
Bodlander F. M. S.: (C), **259**
Bond A: (C), **247**
Bond G. M., Holloway A. M.: Anaesthesia and breast-feeding — the effect on mother and infant, **426**
Borgeat A.: (C), **115**
(C), **260**
Bourke J: (C), **250**
Bourne R. A., Cameron P. A., Dziukas L.: Respiratory obstruction with lingual tonsillitis, **367**
Boyle R.: (C), **538**
Breast-feeding and anaesthesia: the effect on mother and infant: Bond G. M., Holloway A. M., **426**
Briedis J. H.: (C), **252**
Brijball R.: see Rout C. C., **448**
Brimacombe J.: see Martin J., **88**
Acute pharyngolaryngeal oedema and pre-eclamptic toxaemia, **97**
(C), **117**
(C), **117**
(C), **245**
(C), **394**
Shorney N., Swainston R., Bapty G.: The incidence of bacteraemia following laryngeal mask insertion, **484**
(C), **534**
(C), **535**
Brodeky V.: see Roberts N. V., **199**
Bronchoscopy, fibreoptic, in the critically ill: a prospective study of its diagnostic and therapeutic value: Bellomo R., Tai E., Parkin G., **474**
Bronchospasm under spinal anaesthesia for transurethral resection of prostate: Zacharaih M., Korula G., Sen N., **363**
Brook R. J.: see Sleigh J. W., **63**
Brown A. G.: see Jones R. D. M., **303**
Brown G., O'Leary M., Douglas I., Herkes R.: Perioperative management of a case of severe peripartum cardiomyopathy, **80**
Brown Snake, Common (Pseudonaja textilis), the cardiovascular and haematological effects of purified prothrombin activator from and their antagonism with heparin: Tibballs J., Sutherland S. K., Rivera R. A., Masci P. P., **28**
Common (Pseudonaja textilis) the efficacy of heparin in the treatment of envenomation: Tibballs J., Sutherland S. K., **33**
Brown T. C. K.: see Robinson S., **354**
Busoni P.: (C), **390**
Butler P. J., Dhara S. S.: Prediction of difficult laryngoscopy: An assessment of the thyromental distance and Mallampati predictive tests, **139**
Butt W., Karl T., Horton A., Shann F., Mullaly R.: Experience with extracorporeal membrane oxygenation in children more than one month old, **308**
Taylor B., Shann F.: Mortality prediction in infants with congenital diaphragmatic hernia: potential criteria for ECMO, **439**
Byth P. L.: see Harrison G. A., **203**

Cade J. F.: see Huang W-n, **456**
Cade L., Ashley J., Ross A. W.: Comparison of epidural and intravenous opioid analgesia after elective caesarean section, **41**
(C), **116**
Caesarean section, elective, comparison of epidural and intravenous opioid analgesia after: Cade L., Ashley J., Ross A. W., **41**
Cameron P. A.: see Bourne R. A., **367**
Carbon monoxide poisoning, a longitudinal study of 100 consecutive admissions to the Royal Adelaide Hospital: Gorman D. F., Clayton D., Gilligan J. E., Webb R. K., **311**
Cardiac pacing, transcutaneous, for asystole during permanent pacemaker lead respositioning: Riley D. P., Hales P. A., **524**
Cardiac resuscitation, vasopressor therapy in: McLean A. S., **431**
Carotid endarterectomy under cervical plexus blockade, prevention of tachycardia with atenolol pretreatment: Davies M. J., Dysart R. H., Silbert B. S., Scott D. A., Cook R. J., **161**
Carter B. C.: see Tibballs J., **326**
Cass N. M.: (R), **262**
Catecholamine plasma levels following topical application versus infiltration of adrenaline for nasal surgery: van Hasselt C. A., Low J. M., Waldron J., Gibb A. G., Oh T. E., **332**
Caudal blocks, use of warm local anaesthetic solution for: Lim E., Chong K. Y., Singh B., Jong W., **453**
Cerebral aneurysm, giant, treatment of under cardiopulmonary bypass: Is prophylactic use of FFP and platelets essential?: Chadha R., Padmanabhan V., Rout A., Mohandas K., **370**
Ceriana P.: Effect of myocardial ischaemia-reperfusion on granulocyte elastase release, **187**
Chadha R., Padmanabhan V., Joseph A., Monandas K.: Oral clonidine pretreatment for haemodynamic stability during craniotomy, **341**
Padmanabhan V., Rout A., Mohandas K.: Treatment of giant cerebral aneurysm under cardiopulmonary bypass: Is prophylactic use of FFP and platelets essential?, **370**
Chan L.: see Rodrigo M. R. C., **174**
Chen P. P., Short T. G., Leung D. H. Y., Oh T. E.: A clinical evaluation of the Hemocue haemoglobinometer using capillary, venous and arterial samples, **497**
(C), **537**

Chhieng C. F.: (C), **533**
Chittleborough M. C., Osborne G. A., Rudkin G. E., Vickers D., Leppard P. I., Barlow J.: Double blind comparison of patient recovery after induction with propofol or thiopentone for day-case relaxant general anaesthesia, **169**
Chong K. Y.: see Lim E., **475**
Chromobacterium violaceum septicaemia — the intensive care management of two cases: Martin J., Brimacombe J., **88**
Chua A. W. Y., Symons N.: Severe localised bronchospasm in a young asthmatic patient during thoracotomy, **83**
Chui P. T., Gin T.: A double-bilnd randomized trial comparing postoperative analgesia after perioperative loading doses of methadone or morphine, **46**
(C), **537**
Clayton D.: see Gorman D. F., **311**
Clery G.: (C), **122**
Clonidine oral pretreatment for haemodynamic stability during craniotomy: Chadha R., Padmanabhan V., Joseph A., Monandas K., **341**
Cobcroft M. D.: (C), **544**
Collier C.: Accidental subdural block: four more cases and a radiographic review, **215**
Collier C. B.: (C), **395**
Collins P. D., Godkin R. A.: Awake blind nasal intubation — A dying art?, **225**
Coma and thyroid dysfunction: Gilbert R. E., Thomas G. W., Hope R. N., Sasse A. C., Seeman E., Doolan L., Jerums G., **86**
Combined Scientific Meeting of the Australian Society of Anaesthetists and Canadian Anaesthetists' Society, Brisbane, Queensland — October 1991: Abstracts of Papers, **99**
Comparison of epidural and intravenous opioid analgesia after elective caesarean section: Cade L., Ashley J., Ross A. W., **41**
Complications of continuous spinal anaesthesia: Peyton P. J., **417**
Contamination of anaesthetic tubing — a real hazard?: Ibrahim J. J., Perceval A. K., **317**
Continuing Education Committee of Anaesthetists of New Zealand (CECANZ) — The first five years: Henderson R. S., **211**
Cook R. J.: see Davies M. J., **161**
Coombs L. J.: (C), **388**
Cooney C.: (C), **250**
Cooper D. W., Long G. T.: Difficult fibreoptic intubation in an intellectually handicapped patient, **227**
Cooper M: (R), **262**
(R), **547**
Cooper M. G.: (C), **396**
Cooper J., Barr J.: see Wilson W., **470**
Corke C. F.: (C), **246**
Costello T. G.: (C), **395**
Couchman K. G.: see McKenzie A. J., **165**
Cousins M.: (C), **254**
Cover Note — Chevalier Jackson's Laryngoscope: Westhorpe R., **3**
Cover Note — de Caux's Endotracheal Tube: Westhorpe R., **271**
Cover Note — Magill's Laryngoscope: Westhorpe R., **133**
Cover Note — Magill's Endobronchial Tubes: Westhorpe R., **409**
Crawford G. P. M.: see Gibbs N., **487**
Crawford M.: (R), **401**
Crocker S., Paech M.: Preoperative rectal indomethacin for analgesia after laparoscopic sterilisation, **337**
Crone D.: (C), **531**
Crowe C. E.: see Parnis S. J., **9**
Cryotherapy for treatment of hepatic malignancy, anaesthetic experience with: Goodie D. B., Horton M. D. A., Morris R. W., Nagy L. S., **491**
Cutfield G. R.: see Stahl J. M., **177**
Cytokine network in the critically ill, The: Bellomo R., **288**

David M. L.: (C), **115**
Davies M. J., Dysart R. H., Silbert B. S., Scott D. A., Cook R. J.: Prevention of tachycardia with atenolol pretreatment for carotid endarterectomy under cervical plexus blockade, **161**
Davis N. J.: see Riley R. H., **229**
Dawson G. R.: (C), **260**
Dawson P.: see Blake D. W., **479**
Day C.: (C), **531**
Day case relaxant general anaesthesia, double-blind comparison of patient recovery after induction with propofol or thiopentone: Chittleborough M. C., Osborne G. A., Rudkin G. E., Vickers D., Leppard P. I., Barlow J., **169**
Day Surgery Unit, postoperative hospital admission from a: a seven-year retrospective survey: Biswas T. K., Leary C., **147**
Day-stay anaesthesia children having, oral midazolam is an effective premedication for: Parnis S. J., Foate J. A., van der Walt J. H., Short T., Crowe C. E., **9**
Day-surgery, is fentanyl effective for postoperative analgesia in?: Cade L., Ross A. W., **38**
Derived oxygen saturations are not clinically useful for the calculation of oxygen consumption and delivery: Myburgh J. A., **460**
Dhara S. S.: see Butler P. J., **139**
Di Florio T.: (C), **244**
The use of midazolam for persistent postoperative nausea and vomiting, **383**
Diaphragmatic hernia, congenital, mortality prediction in infants with: potential criteria for ECMO: Butt W., Taylor B., Shann F., **439**
Difficult fibreoptic intubation in an intellectually handicapped patient: Copper D. W., Long G. T., **227**
Diltiazem overdose in an elderly patient: Efficacy of adrenaline: Henderson A., Stevenson N., Hackett L. P., Pond S. M., **507**
Dineen D.: (C), **393**
Ditton J. N.: (C), **123**
Divatia J. V.: (C), **243**
Dockar G.: (C), **246**
Donnan G.: (C), **248**
See Blake D. W., **479**
Doolan L.: see Gilbert R. E., **86**
Dopamine and renal salvage in the critically ill patient: Duke G. J., Bersten A., **277**
Double-blind comparison of patient recovery after induction with propofol or thiopentone for day-case relaxant general anaesthesia: Chittleborough M. C., Osborne G. A., Rudkin G. E., Vickers D., Leppard P. I., Barlow J., **169**
Double-lumen endobronchial tubes, a blind guided technique for placing: Russell W. J., **71**

Dougall J. R.: see McLintic A. J., **373**
Douglas I.: see Brown G., **80**
Downing P.: see Kennedy R. R., **66**
Duke G. J.: (C), **252**
Bersten A.: Dopamine and renal salvage in the critically ill patient, **277**
Duncan A. W.: (R), **126**
Dysart R. H.: see Davies M. J., **161**
Dziukas L.: see Bourne R. A., **367**
de Lima J. C.: (C), **396**

Eagle C. C. P.: The relationship between a person's height and appropriate endotracheal tube length, **156**
Ebert R. J.: Post partum airway obstruction after vaginal delivery, **365**
Editorial: A letter from the Editor: Roberts J. G., **415**
Effect of myocardial ischaemia-reperfusion on granuloycyte elastase release: Ceriana P., **187**
Efficacy of lignocaine in alleviating potassium chloride infusion pain: Lim E., Khoo S. T., Tweed A. W., **196**
Elson J.: (C), **391**
Endotracheal tube length, appropriate: the relationship between a person's height and: Eagle C. C. P., **156**
Ephedrine, prophylactic intramuscular, prior to caesarean section: Rout C. C., Rocke D. A., Brijball R., Koovarjee R. V., **448**
Epidural anaesthesia, a five-year prospective analysis of the efficacy, safety and morbidity of. Performed by a general practitioner anaesthetist in an isolated rural hospital: Watts R., **348**
Epidural bupivacaine in labour, the addition of pethidine to: effect of changing bupivacaine strength: Handley G., Perkins G., **151**
Experience with extracorporeal membrane oxygenation in children more than one month old: Butt W., Karl T., Horton A., Shann F., Mullaly R., **308**
Extensive central neural blockade following interscalene brachial plexus blockade: McGlade D. P., **514**
Extracorporeal membrane oxygenation in children more than one month old. Experience with: Butt W., Karl T., Horton A., Shann F., Mullaly R., **308**

Fakih A. R.: (C), **243**
Fault in a Selectatec manifold resulting in awareness: Lum M. E., Ngan Kee W. D. N., Robinson B. J., **501**
Fibreoptic bronchoscopy in the critically ill: A prospective study of its diagnostic and therapeutic value: Bellomo R., Tai E., Parkin G., **464**
Fibreoptic intubation, difficult, in an intellectually handicapped patient: Cooper D. W., Long G. T., **227**
Fisher M. M., Baldo B. A.: Persistence of allergy to anaesthetic drugs, **143**
Fleming G.: (C), **254**
Flucloxacillin, accidental intra-arterial: management using guanethidine: McGrath P., **517**
Flumazenil reversal of conscious sedation for minor oral surgery: Rodrigo M. R. C., Chan L., Hui E., **174**
Foate J. A.: see Parnis S. J., **9**

Gagandeep P. S.: (C), **243**
Galvis A., Nakagawa T.: Hydrothorax as a late complication of central venous catheters in children: diagnosis and management, **75**
Gartrell P.: (C), **121**
Gaukroger P. B.: (C), **121**
Gibb A. G.: see van Hasselt C. A., **332**
Gibbs N.: (C), **243**
Crawford G. P. M., Michalopoulos N.: The effect of epidural blockade on postoperative hypercoagulability following abdominal aortic bypass surgery, **487**
Giesecke A. H.: (C), **248**
Gilbert R. E., Thomas G. W., Hope R. N., Sasse A. C., Seeman E., Doolan L., Jeruma G.: Coma and thyroid dysfunction, **86**
Gilligan J. E.: see Gorman D. F., **311**
Gin T.: see Chui P. T., **46**
See Houghton I. T., **53**
See Lew J. K. L., **91**
Godkin R. A.: see Collins P. D., **225**
Goodie D. B., Horton M. D. A., Morris R. W., Nagy L. S., Morris D. L.: Anaesthetic experience with cryotherapy for treatment of hepatic malignancy, **491**
Gordon P. C., Linton D. M.: The missing wire — A complication of central venous catheterization, **77**
Bateman E. D., Linton D. M.: Bilateral phrenic nerve palsy following cardiac surgery in a diabetic. A case report, **511**
Gorman D: (R), **546**
Gorman D.: (C), **249**
Gorman D. F.: (C), **258**
Clayton D., Gilligan J. E., Webb R. K.: A longitudinal study of 100 consecutive admissions for carbon monoxide poisoning to the Royal Adelaide Hospital, **311**
Gould D. B.: (C), **453**
Gourlay G.: (R), **400**
Grange C.: (C), **122**
Granulocyte elastase release, effect of myocardial ischaemia-reperfusion on: Ceriana P., **187**
Graziotti P.: (C), **391**
Grond S.: see Lynch J., **322**
Gunawardene W. M. S.: see Jones R. D. M., **303**

Hackett L. P.: see Henderson A., **507**
Haemodynamic effects and uptake of enflurane in patients undergoing cardiac surgery: good versus poor myocardial function: Myles P. S., Storer R., Millar C., **21**
Hale A. P.: (C), **246**
Hales P.: (C), **120**
Hales P. A.: see Riley D. P., **524**
Hall R. C.: (C), **123**
Handley G., Perkins G.: The addition of pethidine to epidural bupivacaine in labour — effect of changing bupivacaine strength, **151**
Hansma A.: (C), **251**
Harrington J.: (C), **251**
Harris L. A.: see Riley R. H., **229**
(C), **246**
Harrison G. A.: see Stahl J. M., **177**
Byth P. L.: A survey of Fellows of the Faculty of Anaesthetists of the Royal Australasian College of Surgeons endorsed in Intensive Care by examination in the first ten years of final examinations in Intensive Care, **203**
Hemocue haemoglobinometer, a clinical evaluation of the, using capillary, venous and arterial samples: Chen P. P., Short T. G., Leung D. H. Y., Oh T. E., **497**

Henderson A., Wright M., Pond S. M.: Management of theophylline overdose patients in the intensive care unit, **56**
Stevenson N., Hackett L. P., Pond S. M.: Diltiazem overdose in an elderly patient: Efficacy of adrenaline, **507**
(C), **532**
Henderson R. S.: Continuing Education Committee of Anaesthetists of New Zealand (CECANZ) — The first five years, **211**
Herkes R.: see Brown G., **80**
High-volume spinal anaesthesia. A dose-response study on bupivacaine 0.125%: Tay D. H. B., Tay S. M., Thomas E., **443**
Hillman K.: (R), **545**
Hiscock R. J.: (C), **398**
Hochmann M.: see Tibballs J., **326**
Hodges M.: see Pollock N., **543**
Hodgson R. A.: (C), **544**
Holland R.: (C), **256**
Holloway A. M.: see Bond G. M., **426**
Holt A. W.: (C), **257**
Hool G. J.: (C), **393**
Hope R. N.: see Gilbert R. E., **86**
See Butt W., **308**
Horton M. D. A.: see Goodie D. B., **491**
Houghton I. T., Aun C., Gin T., Lau J. T. F.: Inter-ethnic differences in postoperative pethidine requirements, **52**
Huang W-n., Cade J. F., Pain M. C. F.: Oxygen dissociation curve in the adult respiratory distress syndrome, **456**
Hui E.: see Rodrigo M. R. C., **174**
Hung C. T.: (C), **532**
Hutchinson R. C.: (C), **398**
Hydrothorax as a late complication of central venous catheters in children: diagnosis and management: Galvis A., Nakagawa T., **75**
Hypercoagulability, postoperative, following abdominal aortic bypass surgery: the effect of epidural blockade on: Gibbs N., Crawford G. P. M., Michalopoulos N., **487**

Ibrahim J. J., Perceval A. K.: Contamination of anaesthetic tubing — a real hazard?, **317**
Indomethacin, preoperative rectal, for analgesia after laparoscopic sterilisation: Crocker S., Paech M., **337**
Infusion pain, potassium chloride: efficacy of lignocaine in alleviating: Lim E., Khoo S. T., Tweed A. W., **196**
Ingram K. S.: see McLintic A. J., **373**
Intensive Care, a survey of Fellows of the Faculty of Anaesthetists of the Royal Australasian College of Surgeons endorsed in Intensive Care by examination in the first ten years of final examinations in: Harrison G. A., Byth P. L., **203**
Inter-ethnic differences in postoperative pethidine requirements: Houghton I. T., Aun C., Gin T., Lau J. T. F., **52**
Interscalene brachial plexus blockade, extensive central neural blockade following: McGlade D. P., **514**
Is fentanyl effective for postoperative analgesia in day surgery?: Cade L., Ross A. W., **38**

Jerums G.: see Gilbert R. E., **86**
Jones R.: (R), **126**
Jones R. D. M., Lawson A. D., Gunawardene W. M. S., Roulson C. R., Brown A. G., Smith I. D.: An evaluation of prolonged oximetric data acquisition, **303**
Jong W.: see Lim E., **475**
Joseph A.: see Chadha R., **341**
Joyce C.: (C), **118**

Karl T.: see Butt W., **308**
Keast P. J.: see Roberts N. V., **199**
Kelly A. J.: (C), **541**
Kennedy R.: (C), **118**
Kennedy R. R., Stokes J. W., Downing P.: Anaesthesia and the 'inert' gases with special reference to xenon, **66**
Khoo S. T.: see Lim E., **196**
Kilpatrick F.: (C), **392**
Kobilski S.: see Wilson W., **470**
Koovarjee R. V.: see Rout C. C., **448**
Korula G.: see Zachariah M., **363**
Kraus P.: see Wilson W., **470**
Krings-Ernst I.: Riley R. H., **229**

Lagerberg J. M.: see Riley R. H., **229**
Laryngeal mask, the, in the management of a paediatric difficult airway: Nath G., Major V., **518**
Laryngeal mask airway insertion, propofol induction for: dose requirement and cardiorespiratory effects: Blake D. W., Dawson P., Donnan G., Bjorksten A., **479**
Laryngeal mask airway insertion, the incidence of bacteraemia following: Brimacombe J., Shorney N., Swainston R., Bapty G., **484**
Lau J. T. F.: see Houghton I. T., **52**
Laussen P. C.: see Robinson S., **354**
Lawson A. D.: see Jones R. D. M., **303**
Leary C.: see Biswas T. K., **147**
(C), **542**
Lee C.: see Wilson W., **470**
Lee R.: (R), **126**
(R), **546**
Leppard P. I.: see Chittleborough M. C., **169**
Lett Z.: (C), **536**
(C), **537**
Leung D. H. Y.: see Chen P. P., **497**
Lew J. K. L., Gin T., Oh T. E.: Anaesthetic problems during laparoscopic cholecystectomy, **91**
Lewis G. B. H.: (C), **533**
Liban J. B.: (C), **397**
Lim B. L., Low T. C.: Total intravenous anaesthesia versus inhalational anaesthesia for dental day surgery, **475**
Lim E., Khoo S. T., Tweed A. W.: Efficacy of lignocaine in alleviating potassium chloride infusion pain, **196**
Chong K. Y., Singh G., Jong W.: Use of warm local anaesthetic for caudal blocks, **475**
Lingual tonsillitis, respiratory obstruction with: Bourne R. A., Cameron P. A., Dziukas L., **367**
Linton D. M.: see Gordon P. C., **511**
Lipman J.: see Wilson W., **470**
Lloyd R.: (C), **533**
Long G. T.: see Cooper D. W., **227**
Low J. M.: see van Hasselt C. A., **332**
Low T. C.: see Lim B. L., **475**
Luckin P. G.: (C), **251**
Lum M. E., Ngan Kee W. D. N., Robinson B. J.: Fault in a selectatec manifold resulting in awareness, **501**

Lynch J., Arhelger S., Krings-Ernst I., Zech D., Grond S.: Whitacre 22 gauge pencil-point needle for spinal anaesthesia. A controlled trial in 300 young orthopaedic patients, **322**

Macintyre P. E.: (R), **546**
Macleod A. D., Maycock E.: Awareness during anaesthesia and post traumatic stress disorder, **378**
Major V.: see Nath G., **518**
Malignant hyperthermia, prolonged, in the absence of triggering agents: Pollock N., Hodges M., Sendall J., **520**
Malignant hyperthermia susceptible patients, propofol is a 'safe' anaesthetic agent in: McKenzie A. J., Couchman K. G., Pollock N., **165**
Mallampati predictive tests and the thyromental distance, an assessment of the: Prediction of difficult laryngoscopy: Butler P. J., Dhara S. S., **139**
Management of theophylline overdose patients in the intensive care unit: Henderson A., Wright M., Pond S. M., **56**
Martin J., Brimacombe J.: Chromobacterium violaceum septicaemia — the intensive care management of two cases, **88**
Masci P. P.: see Tibballs J., **28**
Mathews N.: (R), **263**
Mawter D.: (C), **248**
Maycock E.: see Macleod A. D., **378**
McArthur R. D. A.: Obstetric anaesthesia in an achondroplastic dwarf at a regional hospital, **376**
McCann B.: Obituary — John Edmond O'Donnell, **529**
McCarthy E.: (C), **250**
McDonald P. F.: (C), **389**
(C), **393**
McGlade D. P.: Extensive central neural blockade following interscalene brachial plexus blockade, **514**
McGrath P.: Accidental intra-aterial flucoxacillin using guanethidine, **517**
Macintyre P.: (R), **546**
McKenzie A. J., Couchman K. G., Pollock N.: Propofol is a 'safe' anaesthetic agent in malignant hyperthermia susceptible patients, **165**
(C), **543**
McLean A. S.: Vasopressor therapy in cardiac resuscitation, **431**
McLeod B.: (R), **547**
McLeod D.: (C), **388**
McLeod D. H.: (C), **121**
McLintic A. J., Metcalfe M. J., Ingram K. S., Dougall J. R.: Acute mitral regurgitation: Physiological and pharmacological considerations in the management of a critically ill patient, **373**
McManus K. F.: (C), **245**
Mercer J. D.: (C), **543**
Metcalfe M. J.: see McLintic A. J., **373**
Methadone or morphine, a double-blind randomized trial comparing postoperative analgesia after perioperative loading doses of: Chui P. T., Gin T., **46**
Meyer M.: (C), **118**
Michalopoulos N.: see Gibbs N., **487**
Midazolam is an effective oral premedication for children having day-stay anaesthesia: Parnis S. J., Foate J. A., van der Walt J. H., Short E., Crowe C. E., **9**
Millar C.: see Myles P. S., **21**
Miller M.: see Sleigh J. W., **63**
Mitral regurgitation, acute: physiological and pharmacological considerations in the management of a critically ill, **373**
Mohandas K.: see Chadha R., **370**
Monandas K.: see Chadha R., **341**
Morris D. L.: see Goodie D. B., **491**
Morris R. W.: see Goodie D. B., **491**
Mortality prediction in infants with congenital diaphragmatic hernia: potential criteria for ECMO: Butt W., Taylor B., Shann F., **439**
Mouth-to-mask ventilation, alveoloar oxygenation and: Effects of oxygen insufflation: Stahl J. M., Cutfield G. R., Harrison G. A., **177**
Mullaly R.: see Butt W., **308**
Myburgh J. A.: Derived oxygen saturations are not clinically useful for the calculation of oxygen consumption and delivery, **460**
Myles P. S., Storer R., Millar C.: Haemodynamic effects and uptake of enflurane in patients undergoing cardiac surgery, good versus poor myocardial function, **21**
Weeks A. M.: Alpha 1-antitrypsin deficiency: Circulatory arrest following induction of anaesthesia, **348**
(C), **540**
Myotonia dystrophica, acute cord prolapse in an obstetric patient with: Walpole A. R., Ross A. W., **526**

Nagi H.: (C), **116**
Nagy L. S.: see Goodie D. B., **491**
Nakagawa T.: see Galvis A., **75**
Nasal intubation, awake, blind — A dying art?: Collins P. D., Godkin R. A., **225**
Nath G., Major V.: The laryngeal mask in the management of a paediatric difficult airway, **518**
Nausea and vomiting, persistent postoperative, the use of midazolam for: Di Florio T., **383**
Newcombe G.: (R), **263**
Ngan Kee W. D. N.: see Lum M. E., **501**

O'Flaherty d.: (C), **248**
O'Leary M.: see Brown G., **80**
Oates A.: see Roberts N. V., **199**
Obituary — William Knox Peacock: Alltree D. H., **387**
Obituary — John Edmond O'Donnell: B. McCann, **529**
Obstetric anaesthesia in an achondroplastic dwarf at a regional hospital: McArthur R. D. A., **376**
Obstetric epidural services in rural South Australia: Watts R., **345**
Oh T.: see van Hasselt C. A., **332**
Oh T. E.: see Lew J. K. L., **91**
See Chen P. P., **497**
Ondansetron: Indications and applications in the pediatric intensive care unit: Tobias J. D., **504**
Oral clonidine pretreatment for haemodynamic stability during craniotomy: Chadha R., Padmanabhan V., Joseph A., Monandas K., **341**
Oral midazolam is an effective premedication for children having day-stay anaesthesia: Parnis S. J., Foate J. A., van der Walt J. H., Short T., Crowe C. E., **9**
Osborne A.: see Tibballs J., **326**
Osborne G. A.: see Chittleborough M. C., **169**
Oximetric data acquisition, prolonged, an evaluation of: Jones R. D. M., Lawson A. D., Gunawardene W. M. S., Roulson C. J., Brown A. G., Smith I. D., **303**

Oxygen consumption: derived oxygen saturations are not clinically useful for the calculation of: Myburgh J. A., **460**
Oxygen dissociation curve in the adult respiratory distress syndrome: Huang W-n., Cade J. F., Pain M. C. F., **456**
Oxytocin, the effects of, on the pulmonary and systemic circulation in pregnant ewes: Roberts N. V., Keast P. J., Brodeky V., Oates A., Ritchie B. C., **199**

Padmanabhan V.: see Chadha R., **341**
See Chadha R., **370**
Paech M.: see Crocker S., **337**
Paech M. J.: Patient-controlled epidural analgesia in labour — is a continuous infusion of benefit?, **15**
Pain M. C. F.: see Huang W-n., **456**
Parker F.: (C), **246**
Parker F. C.: (C), **398**
Parkin G.: see Bellomo R., **464**
Parnis S. J., Foate J. A., van der Walt J. H., Short T., Crowe C. E.: Oral midazolam is an effective premedication for children having day-stay anaesthesia, **9**
Patient-controlled epidural analgesia in labour — is a continuous infusion of benefit?: Paech M. J., **15**
Pennant J. H.: (C), **252**
Perceval A. K.: see Ibrahim J. J., **317**
Perioperative management of a case of severe peripartum cardiomyopathy: Brown G., O'Leary M., Douglas I., Herkes R., **80**
Perkins G.: see Handley G., **151**
Persistence of allergy to anaesthetic drugs: Fisher M. M., Baldo B. A., **143**
Petroianu G.: (C), **538**
Peyton P.: (C), **398**
Peyton P. J.: Complications of continuous spinal anaesthesia, **417**
Phelan D.: (C), **250**
Phrenic nerve palsy, bilateral, following cardiac surgery in a diabetic patient: Gordon P. C., Bateman E. D., Linton D. M., **511**
Plasma catecholamine levels following topical application versus infiltration of adrenaline for nasal surgery: van Hasselt C. A., Low J. M., Waldron J., Gibb A. G., Oh T., **332**
Pneumomediastinum and subcutaneous emphysema following spinal surgery: So P. C., Sun K. O., **93**
Pollard B.: (C), **536**
Pollock A. N.: (C), **543**
Pollock N.: see McKenzie A. J., **165**
Hodges M., Sendall J.: Prolonged malignant hyperthermia reaction in the absence of triggering agents, **520**
Pond S. M.: see Henderson A., **56**
See Henderson A., **507**
(C), **532**
Post partum airway obstruction after vaginal delivery: Ebert R. J., **365**
Postoperative hospital admission from a day surgery unit: a seven-year retrospective survey: Biswas T. K., Leary C., **147**
Praveen B. V.: (C), **539**
Prediction of difficult laryngoscopy: An assessment of the thyromental distance and Mallampati predictive tests: Butler P. J., Dhara S. S., **139**
Preoperative rectal indomethacin for analgesia after laparoscopic sterilisation: Crocker S., Paech M., **337**
Prevention of tachycardia with stenolol pretreatment for carotid endarterectomy under cervical plexus blockade: Davies M. J., Dysart R. H., Silbert B. S., Scott D. A., Cook R. J., **161**
Prolonged malignant hyperthermia reaction in the absence of triggering agents: : Pollock N., Hodges M., Sendall J., **520**
Prophylactic intramuscular ephedrine prior to caesarean section: Rout C. C., Rocke D. A., Brijball R., Koovarjee R. V., **448**
Propofol induction for laryngeal mask airway insertion: dose requirement and cardiorespiratory effects: Blake D. W., Dawson P., Donnan G., Bjorksten A., **479**
Propofol is a 'safe' anaesthetic agent in malignant hyperthermia susceptible patients: McKenzie A. J., Couchman K. G., Pollock N., **165**
Purcell G.: (C), **122**

Rankin N.: (C), **531**
Raymond R. N.: (C), **249**
(C), **251**
Renal salvage in the critically ill patient, dopamine and: Duke G. J., Bersten A. D., **277**
Respiratory obstruction with lingual tonsillitis: Bourne R. A., Cameron P. A., Dziukas L., **367**
Rifat K.: (C), **260**
Riley D. P., Hales P. A.: Transcutaneous cardiac pacing for asystole during permanent pacemaker lead repositioning, **524**
Riley R. H., Harris L. A., Davis N. J., Lagerbert J. M.: Superior vena cava syndrome following general anaesthesia, **229**
(C), **246**
(C), **388**
Ritchie B. C.: see Roberts N. V., **199**
Rivera R. A.: see Tibballs J., **28**
Roberts J. G.: (R), **402**
Roberts N. V., Keast P. J., Brodeky V., Oates A., Ritchie B. C.: The effects of oxytocin on the pulmonary and systemic circulation in pregnant ewes, **199**
Robinson B. J.: see Lum M. E., **501**
Robinson S., Laussen P. C., Brown T. C. K., Woodward A. A.: Anaesthesia for sacrococcygeal teratoma — a case report and a review of 32 cases, **354**
Rocke D. A.: see Rout C. C., **448**
Rodrigo M. R. C., Chan L., Hui E: Flumazenil reversal of conscious sedation for minor oral surgery, **174**
Rosewarne F. A.: (C), **259**
Ross A. W.: see Cade L., **38**
See Cade L., **41**
(C), **398**
See Walpole A. R., **526**
Roulson C. R.: see Jones R. D. M., **303**
Rout A.: see Chadha R, **370**
Rout C. C., Rocke D. A., Brijball R., Koovarjee R. V.: Prophylactic intramuscular ephedrine prior to caesarean section, **448**
Rudkin G. E.: see Chittleborough M. C., **169**
Runciman W. B.: (C), **258**

Russell W. J.: A blind guided technique for placing double-lumen endobronchial tubes, **71**
(C), **391**
(C), **536**

Sacrococcygeal teratoma — anaesthesia for: Robinson S., Laussen P. C., Brown T. C. K., Woodward A. A., **354**
Saiah M.: (C), **260**
Sasse A. C.: see Gilbert R. E., **86**
Scarf M. G.: (C), **396**
Schiller P.: (C), **540**
Scott D. A.: see Davies M. J., **161**
Scribante J.: see Wilson W., **470**
Seeman E.: see Gilbert R. E., **86**
Selectatec manifold, fault in a, resulting in awareness: Lum M. E., Ngan Kee W. D. N., Robinson B. J., **501**
Sen N.: see Zachariah M., **363**
Sendall J.: see Pollock N., **520**
Septic shock: Does adrenaline have a role as a first-line inotropic agent?: Wilson W., Lipman J., Scribante J., Kobilski S., Lee C., Kraus P., Cooper J., Barr J., **470**
Severe localised bronchospasm in a young asthmatic patient during thoracotomy: Chua A. W. Y., Symons N., **83**
Shah S. C.: (C), **243**
Shann F.: see Butt W., **308**
See Butt W., **439**
Sholler G.: (C), **254**
Shorney N.: (C), **245**
See Brimacombe J., **484**
Short T.: see Parnis S. J., **9**
Short T. G.: see Chen P. P., **497**
Sidhu V. S.: (C), **119**
Silbert B. S.: see Davies M. J., **161**
Singh B.: see Lim E., **475**
Sleigh J. W,. Brook R. J., Miller M.: Time-dependent error in the APACHE II scoring system, **63**
Smith C.: (C), **254**
Smith C. L.: (C), **398**
Smith I. D.: See Jones R. D. M., **303**
Smith J.: (C), **255**
So P. C., Sun K. O.: Pneumomediastinum and subcutaneous emphysema following spinal surgery, **93**
Sparks C.: (C), **115**
Spinal anaesthesia, high-volume. A dose-response study on bupivacaine 0.125%: Tay D. H. B., Tay S. M., Thomas E., **443**
Continuous, complications of: Peyton P. J., **417**
Stahl J. M., Cutfield G. R., Harrison G. A.: Alveolar oxygenation and mouth-to-mask ventilation: Effects of oxygen insufflation, **177**
Stenqvist O.: see Bengtson J. P., **191**
Stevenson N.: see Henderson A., **507**
Stokes J. W.: see Kennedy R. R., **66**
Storer R.: see Myles P. S., **21**
Storey J.: (C), **118**
Subdural block, accidental: four more cases and a radiographic review: Collier C. B., **215**
Sun K. O.: see So P. C., **93**
Superior vena cava syndrome following general anaesthesia: Riley R. H., Harris L. A., Davis N. J., Lagerberg J. M., **229**
Sutherland S. K.: see Tibballs J., **28**
See Tibballs J., **33**
Swainston R.: see Brimacombe J., **484**
Symons N.: see Chua A. W. Y., **83**

Tai E.: see Bellomo R., **464**
Tay D. H. B., Tay S. M., Thomas E.: High-volume spinal anaesthesia. A dose-response study on bupivacaine 0.125%, **443**
Tay S. M.: see Tay D. H. B., **443**
Taylor B.: see Butt W., **439**
The addition of pethidine to epidural bupivacaine in labour — effect of changing bupivacaine strength: Handley G., Perkins G., **151**
The cardiovascular and haematological effects of purified prothrombin activator from the Common Brown Snake (Pseudonaja textilis) and their antagonism with heparin: Tibballs J., Sutherland S. K., Rivera R. A., Masci P. P., **28**
The cytokine network in the critically ill: Bellomo R., **288**
The effect of epidural blockade on postoperative hypercoagulability following abdominal aortic bypass surgery: Gibbs N., Crawford G. P. M., Michalopoulos N., **487**
The effects of oxytocin on the pulmonary and systemic circulation in pregnant ewes: Roberts N. V., Keast P. J., Brodeky V., Oates A., Ritchie B. C., **199**
The efficacy of heparin in the treatment of Common Brown Snake (Pseudonaja textilis) envenomation: Tibballs J., Sutherland S. K., **33**
The incidence of bacteraemia following laryngeal mask insertion: Brimacombe J., Shorney N., Swainston R., Bapty G., **484**
The laryngeal mask in the management of a paediatric difficult airway: Nath G., Major V., **518**
The missing wire — A complication of central venous catheterization: Gordon P. C., Linton D. M., **77**
The relationship between a person's height and appropriate endotracheal tube length: Eagle C. C. P., **156**
The use of midazolam for persistent postoperative nausea and vomiting: Di Florio T., **383**
Theophylline overdose patients in the intensive care unit, management of: Henderson A., Wright M., Pond S. M., **56**
Thomas E.: see Tay D. H. B., **443**
Thomas G. W.: see Gilbert R. E., **86**
Thyromental distance and Mallampati predictive tests, an assessment of the: prediction of difficult laryngoscopy: Butler P. J., Dhara S. S., **139**
Tibballs J., Sutherland S. K., Rivera R. A., Masci P. P.: The cardiovascular and haematological effects of purified prothrombin activator from the Common Brown Snake (Pseudonaja textilis) and their antagonism with heparin, **28**
Hochmann M., Osborne A., Carter B. C.: Accuracy of the BoMed NCCOM3 bioimpedance cardiac output monitor during induced hypotension: an experimental study in dogs, **326**
Time-dependent error in the APACHE II scoring system: Sleigh J. W., Brook R. J., Miller M., **63**
Tobias J. D.: Ondansetron: Indications and applications in the pediatric intensive care unit, **504**
Tolley P. M.: (C), **251**
Tolley R. N.: (C), **249**
Tomkins D.: (C), **393**

Total intravenous anaesthesia versus inhalational anaesthesia for dental day surgery: Lim B. L., Low T. C., **475**
Transcutaneous cardiac pacing for asystole during permanent pacemaker lead repositioning: Riley D. P., Hales P. A., **524**
Treatment of giant cerebral aneurysm under cardiopulmonary bypass: is prophylactic use of FFP and platelets essential?: Chadha R., Padmanabhan V., Rout A., Mohandas K., **370**
Tubing, anaesthetic, contamination of — a real hazard?: Ibrahim J. J., Perceval A. K., **317**
Tweed A. W.: see Lim E., **196**
Tyers M. R.: (C), **395**

Uptake of enflurane and haemodynamic effects in patients undergoing cardiac surgery: good versus poor myocardial function: Myles P. S., Storer R., Millar C., **21**
Uptake of enflurane and isoflurane during spontaneous and controlled ventilation: Bengtson J. P., Bengtsson A., Stenqvist O., **191**
Use of warm local anaesthetic for caudal blocks: Lim E., Chong K. Y., Singh B., Jong W., **453**

Varma S.: (C), **539**
Vasopressor therapy in cardiac resuscitation: McLean A. S., **431**
Vedig A.: (R), **264**
Vedig A. E.: (C), **257**
Vickers D.: see Chittleborough M. C., **169**
van der Walt J.: (C), **393**
van der Walt J. H.: see Parnis S. J., **9**
van Hasselt C. A., Low J. M., Waldron J., Gibb A. G., Oh T.: Plasma catecholamine levels following topical application versus infiltration of adrenaline for nasal surgery, **332**

Waldron J.: see van Hasselt C. A., **332**
Walker M. B.: (C), **252**
Walpole A. R., Ross A. W.: Acute cord prolapse in an obstetric patient with myotonia dystrophica, **526**
Watts A. D. J.: (C), **392**
Watts R.: Obstetric epidural services in rural South Australia, **345**
A five-year prospective analysis of the efficiency, safety and morbidity of epidural anaesthesia performed by a general practitioner anaesthetist in an isolated rural hospital, **348**
Webb R. K.: see Gorman D. F., **311**
Weeks A.: (R), **264**
Weeks A. M.: see Myles P. S., **358**
Westhorpe R.: Cover Note — Chevalier Jackson's Laryngoscope, **3**
Cover Note — Magill's Laryngoscopes, **133**
Cover Note — de Caux's Endotracheal Tube, **271**
Westmore M.: (R), **402**
Whitacre 22 gauge pencil-point needle for spinal anaesthesia. A controlled trial in 300 young orthopaedic patients: Lynch J., Arhelger S., Krings-Ernst I., Zech D., Grond S., **322**
Wilder-Smith O. H.: (C), **115**
Wilder-Smith O. H. G.: (C), **260**
Wilson G.: (R), **125**
Wilson W., Lipman J., Scribante J., Kobilski S., Lee C., Kraus P., Cooper J., Barr J.: Septic shock: Does adrenaline have a role as a first line inotropic agent?: **470**
Wood M. L. B.: (C), **397**
Woodward A. A.: see Robinson S., **354**
Worthley L. I. G.: (R), **400**
Worthley L. I. G.: (C), **257**
Wotherspoon G. P.: (C), **541**
Wright M.: (R), **400**
Wright M.: see Henderson A., **56**
(C), **532**

Xenon, special reference to, anaesthesia and the 'inert' gases with: Kennedy R. R., Stokes J. W., Downing P., **66**

Zachariah M., Korula G., Sen N.: Bronchospasm under spinal anaesthesia for transurethral resection of prostate, **363**
Zech D.: see Lynch J., **322**